

QUOTATION

IKON FIRE LLC.

Berthoud Fire Protection District
275 Mountain Ave
Berthoud, CO 80513

IKON Fire LLC.
3842 Redman Dr.
Fort Collins, CO 80524

Rev. Date: 08/09/2022
Quote No: 10084-0008 15602 Berthoud_Pmpr_Bdy_Prod_220809pal
Job/Order No: 15602
08/23/2022

PART NO	S	DESCRIPTION	QTY	PG	ID
ROSENBAUER APPARATUS SOLUTIONS - RAS - 17 DECEMBER 2021					
00-00-0001	XU	-- Cost Adjustment to Balance PCN & QW Files	1	1	RAS
00-00-000M	S	-- === Pricing as of QW Release 01.13.2022 Pricing good Thru 03.31.2022 ===	1	1	RAS
00-00-1300	S	Berthoud Fire Protection District	1	1	RAS
00-00-1500		MAXIMUM OVERALL HEIGHT Max OAH 121"	1	1	RAS
00-00-1510		MAXIMUM OVERALL LENGTH Max OAL 395"	1	2	RAS
00-00-1519		Overall Width Restriction, NONE	1	2	RAS
00-00-1530		MAXIMUM WHEELBASE 196"	1	2	RAS
00-00-1539		Angle of Approach, NFPA Minimum, 8 Degrees	1	2	RAS
00-00-1549		Angle of Departure, NFPA Minimum, 8 Degrees	1	2	RAS
00-00-1599			1	2	RAS
NFPA Equipment Allowances					
00-00-1610		NFPA Pumper Equipment Allowance 2500#	1	2	RAS
00-00-3220		Contract Change Notice	1	3	RAS
00-12-1100		Financial Stability Response	1	3	RAS
01-06-0510		Calculated Center of Gravity	1	5	RAS
02-02-0300		Inspctn Trip	1	5	RAS
02-10-3000		Delivery (751 to 1000 miles)	1	5	RAS
01-16-0150		-- Warranty, Apparatus, Body Warranty, 1 Year	1	6	RAS
01-19-0460		-- Warranty, Bdy, Alum, Life-Time, Transferable	1	6	RAS
01-19-2450		-- Warranty, Subframe, Lifetime Alum, Transferable	1	7	RAS
01-20-1012		-- Warranty, Paint, AkzoNobel, 10 Year EXT	1	8	RAS
01-21-0350		-- Warranty, Lettering and Striping, 3 Years	1	9	RAS
01-17-0750		-- Pump Warranty, Waterous, 7 Years	1	9	RAS
02-14-6250		Plmbg Warranty, Stnls Stl, 10 Years	1	10	RAS
01-33-5400		-- Manuals, Electrical , As Built Body, Digital Copy	1	11	RAS
02-90-0500		Chassis, Commander Cstm	1	12	RAS
56-01-1600		-- Siren, Elect, Whelen 295SLSA1	1	12	RAS
56-02-1600		-- Spkr, F-S Dynamax, ES100C 100 Watt	1	12	RAS
56-02-1650		-- Spkr Grille, Stnls Stl, "R"	1	12	RAS
56-03-1800		-- Spkr Lctn, To Be Determined by Body Mfg	1	12	RAS
56-06-0550		-- Siren, F-S, Q2B-NN Mech, Bumper, Fully Rcstd, Left Side	1	12	RAS
56-07-1300		-- Siren Cntrl, F-S, Q2B, Driver's Side Foot Swtch	1	13	RAS
56-07-1400		-- Siren Cntrl, F-S, Q2B, Officer's Side Foot Swtch	1	13	RAS
56-07-1100	S	-- Siren Brake, F-S, Q2B, Driver's & Officer's VMux Siren Brake shall be programmed into the Drivers and Officers VMux	1	13	RAS
57-02-1220		-- Lt Bar, Whelen, Ultra Freedom IV, #F4N7VLED, LED, 72"	1	13	RAS
57-08-1100		-- Trffc Emtrr, GTT Opticom, Lt Bar Mntd, 795H Low-Pro LED High-Priority, Prk Brake	1	13	RAS
57-10-0600		-- Lightbar Cntrl, with Master Warning Switch	1	14	RAS
58-71-1720		-- Wrn Lts, Whelen, Upper Rr (2) #900 S-LED	1	14	RAS
57-20-7010		-- Wrn Lt, Drvr, Whelen, 900 Red LED, Color Lens, Ea	1	14	RAS
57-20-7011		-- Wrn Lt, Offcr, Whelen, 900 Red LED, Color Lens, Ea	1	14	RAS
58-01-2280		-- Flange, Chrome, Wrn Lt, Whln, 900, Ea	2	14	RAS
58-46-1720		-- Wrn Lts, Whelen, Upper Side Front (2) #900 S-LED	1	14	RAS
57-20-7010		-- Wrn Lt, Drvr, Whelen, 900 Red LED, Color Lens, Ea	1	14	RAS

PART NO	S	DESCRIPTION	QTY	PG	ID
57-20-7011		-- Wrn Lt, Offcr, Whelen, 900 Red LED, Color Lens, Ea	1	14	RAS
58-01-2280		-- Flange, Chrome, Wrn Lt, Whln, 900, Ea	2	14	RAS
58-61-1720		-- Wrn Lts, Whelen, Upper Side Rr (2) #900 S-LED	1	14	RAS
57-20-7010		-- Wrn Lt, Drvr, Whelen, 900 Red LED, Color Lens, Ea	1	15	RAS
57-20-7011		-- Wrn Lt, Offcr, Whelen, 900 Red LED, Color Lens, Ea	1	15	RAS
58-01-2280		-- Flange, Chrome, Wrn Lt, Whln, 900, Ea	2	15	RAS
58-03-6400		-- Wrn Lts, Whelen, Upper Wing, (2) #600 LED	1	15	RAS
57-20-4010		-- Wrn Lt, Drvr, Whelen, 600 Red LED, Color Lens, Ea	1	15	RAS
57-20-4011		-- Wrn Lt, Offcr, Whelen, 600 Red LED, Color Lens, Ea	1	15	RAS
58-03-7310		-- Wrn Lts, Whelen, Inbrd Warn Lt, (2) #600 LED	1	15	RAS
57-20-4010		-- Wrn Lt, Drvr, Whelen, 600 Red LED, Color Lens, Ea	1	15	RAS
57-20-4011		-- Wrn Lt, Offcr, Whelen, 600 Red LED, Color Lens, Ea	1	15	RAS
58-09-1520		-- Wrn Lts, Whelen, Intrsct (2) #600 S-LED	1	15	RAS
57-20-4010		-- Wrn Lt, Drvr, Whelen, 600 Red LED, Color Lens, Ea	1	16	RAS
57-20-4011		-- Wrn Lt, Offcr, Whelen, 600 Red LED, Color Lens, Ea	1	16	RAS
58-01-2240		-- Flange, Chrome, Wrn Lt, Whln, 600, Ea	2	16	RAS
58-26-1520		-- Wrn Lts, Whelen, Low Mid Bdy (2) #600 S-LED	1	16	RAS
57-20-4010		-- Wrn Lt, Drvr, Whelen, 600 Red LED, Color Lens, Ea	1	16	RAS
57-20-4011		-- Wrn Lt, Offcr, Whelen, 600 Red LED, Color Lens, Ea	1	16	RAS
58-01-2240		-- Flange, Chrome, Wrn Lt, Whln, 600, Ea	2	16	RAS
58-36-2400		-- Wrn Lts, Whelen, Low Rr Side (2) M2 LED, in Rub Rail	1	16	RAS
		Will only fit in EXT rub rail WITHOUT bezel			
57-20-1000		-- Wrn Lt, Drvr, Whelen, M2, Red LED, Color Lens, Ea	1	16	RAS
57-20-1001		-- Wrn Lt, Offcr, Whelen, M2, Red LED, Color Lens, Ea	1	16	RAS
58-81-1520		-- Wrn Lts, Whelen, Low Rr (2) #600 S-LED	1	17	RAS
57-20-4010		-- Wrn Lt, Drvr, Whelen, 600 Red LED, Color Lens, Ea	1	17	RAS
57-20-4011		-- Wrn Lt, Offcr, Whelen, 600 Red LED, Color Lens, Ea	1	17	RAS
50-08-1000	S	Elecal, Base, Multi-Plex, Weldon V-MUX Body	1	17	RAS
		Add "Stealth" Switch to Deactivate All Lighting: Ground Lights, Step Lights, Warning Lights, Interior Lights, DOT Lights, Everything.			
55-11-1100		-- Dr Open/Hazard Wrn Lt, w/Chassis	1		RAS
55-13-1060		-- V-MUX Dr Open, Isolation, Body Main Cmpt Doors, On Vista Screen	1	21	RAS
50-12-1092		Swch Panel, Multiplex, Chassis Supplied	1		RAS
50-15-3100		Battery Swch, Mstr Disconnect, Chs Sppld	1	21	RAS
50-41-6100		Air Horns (2) 24" Round Grover Stutter Tone	1	21	RAS
50-41-8140		Air Horn Location (2) Recess Mounted, Outboard, 1 Ea Side	1	21	RAS
50-43-1000		Air Horn Cntrls	1		RAS
50-43-2010		-- Air Horn Cntrl, Electric Horn/Air Horn VISTA	1	21	RAS
50-43-2500		-- Air Horn Cntrl, Dual Lanyard Pull Cord	1	21	RAS
51-00-1100	S	-- 12V Power Dist Strip, 40A, Ext Cmpt	1	22	RAS
		Located in the Ceiling of the Rear Body Compartment. Battery Direct			
51-00-4010		-- Constant Power	1	22	RAS
51-00-2410	S	-- 12V Dual USB Power Outlet, 5V 2.1A Output, Rr Crew Seat Box	2	22	RAS
		Rear Crew Seatbox in between the Forward Facing Seats			
51-00-4010		-- Constant Power	2	22	RAS
51-00-2400	S	-- 12V Power Outlet (Cigarette Style), 15A, Rr Crew Seat Box	1	22	RAS
		Rear Crew Seatbox in between the Forward Facing Seats			
51-00-4010		-- Constant Power	1	22	RAS
51-00-2700	S	-- 12V Power Outlet (Cigarette Style), 15A, Drivers EMS Cmpt	2	22	RAS
		Drivers Side EMS Compartment			
51-00-4010		-- Constant Power	2	23	RAS
51-05-6290		Lt, Engine Cmpt, Chassis Supl'd	1		RAS
51-05-6400		Lt, Pump Cmpt, 12 Volt LED With Swch	2	23	RAS
51-05-9000		-- Switch on Light Head	2	23	RAS
51-20-3100		-- Fldlt, Mntg Lctn, Front Edge Of Cab Roof	1	23	RAS
51-16-5020		-- Fldlt, Fire Tech, FT-B-46-ML3-W, 18,000 Lmns, 46" Light Bar Mnt, White	1	23	RAS
54-15-6040		-- Scene Lt Actvtd, Front Scene, Driver & Offiicer VISTA	3	23	RAS
		Spot, Flood, Scene			
52-01-1100		Back Up Alarm, w/Chassis	1		RAS

PART NO	S	DESCRIPTION	QTY	PG	ID
52-02-1110		Back Up Camera, Install Chassis Supl'd, EX1	1	23	RAS
52-08-1225		-- HandLt, Vulcan, With LED, w/ 12V Chrgr,p/n 44451	4	23	RAS
52-08-2300		-- HandLt Install Lctn, Cab, Define	1	24	RAS
		Installation to be done at Final Inspection			
52-10-3200	S	Intercom System, FireCom 5100D Wired & Wireless (Single Radio)	1	24	RAS
		FireCom Wired & Wireless Intercom System			
		4 Position 5100D Single Radio System			
		2 Front, 2 Jump seats			
		All Position Full intercom			
		Driver and front passenger will have radio PTT (TX)			
		Includes 4 Headsets			
		(2) FHW505 Wireless headset for Driver and Officer			
		(2) FH-51 Wired headset for Jump seats			
		(1) WB505R Wireless Base station for drivers position. PTT and intercom			
		(4) Headset Hanger Hooks			
		(1) Radio interface for radio XXXX			
		Installation of Intercom System			
		Install Price per position, one position main unit.			
		Miscellaneous Install parts, noise filter, hooks etc.			
		Includes Havis Face plate if needed			
		Non-Motorola Radio prep if needed			
		Antenna Installation, labor only customer supplied			
		Installation of Radio			
		Install Price per control Head			
		Installation Trip Charge 2 days if needed			
		Ancom Quote 7/13/22			
52-10-3290	S	-- Hanger Hook - Headset	4	25	RAS
		Cost Included in 52-10-3200			
52-10-3310	S	-- Headset, Wireless, Intercom w/Transmit, Firecom, FHW505	2	25	RAS
		Cost included in 52-10-3200			
52-10-3320	S	-- Headset, Wireless, Intercom w/Transmit, Firecom, FH-51	2	25	RAS
		Cost Included in 52-10-3200			
52-10-3350	S	-- Base Station, Wireless, Five Person, WB505R	1	26	RAS
		Cost Included in 52-10-3200			
52-10-6120	S	-- Intercom, Interface Cable, Single Radio	1	26	RAS
		Cost Included in 52-10-3200			
52-15-1700	S	Radio, Fire, Install Cstmer Supl'd	1	26	RAS
		Cost Included in 52-10-3200			
51-00-1700		-- 12V Power/Ground, 30A, Radio Lctn	1	26	RAS
51-00-4000		-- Switched Power, Thru Master	1	26	RAS
53-01-1200		Marker Lts, LED, DOT Requirements	1	26	RAS
53-03-0060		Whelen Rr DOT LED Ltng Pkg (4x6) 600's	1		RAS
53-03-2600		-- Tail/Brake Lts, Whelen, 600's 4"x6" (Pair)	1	27	RAS
53-04-2600		-- Turn Signals, Whelen, 600's LED w/ Arrow, 4"x6" (Pair)	1	27	RAS
53-06-3500		-- Backup Lts, Whelen, 600's LED, 4"x6" (Pair)	1	27	RAS
53-07-1213		-- Tail Lt Bezel, 4 Lts, Whln 600 ABS Chrome, All Lts, (Pair)	1	27	RAS
53-05-1800		Turn Signals, Mid Bdy, LED Marker Lt (Pair)	1	27	RAS
54-02-1100		-- Ground Lts, Cab, Supl'd w/Custom Chassis	1		RAS
54-03-1220		-- Ground Lts, Pump Panel, LED, Pr Whelen 3SC0CDCR	1	27	RAS
54-03-1420		-- Ground Lts, Mid Body, LED, Whelen 3SC0CDCR, Pair	1	28	RAS
54-03-1620		-- Ground Lts, Rr Step, LED, Whelen 3SC0CDCR, Pair	1	28	RAS
54-03-1820		-- Ground Lts, Bhnd Rr Wheels, LED, Whelen 3SC0CDCR, Pair	1	28	RAS
54-04-1999		-- Lt Switch , Ground Lts w/ Park Brake	1	28	RAS
54-10-1300		Step Lt, Fxd /Fldg Step, LED, Ea	2	28	RAS
54-10-1450		Step Lt, Rr Tailboard, LED, Ea	2	28	RAS

PART NO	S	DESCRIPTION	QTY	PG	ID
54-11-2100		Lt Swtch , Step/Wlkwy Lts Wired Park Brake Swtch	1	29	RAS
54-15-4804		Scene Lt, FireTech, Guardian, FT-GSM, Surface Mnt	6	29	RAS
54-15-4890		-- Bezel, FireTech, Chrome	6	29	RAS
54-15-5100		-- Scene Lt Lctn, Left Side Of Cab	1	29	RAS
54-15-5200		-- Scene Lt Lctn, Right Side Of Cab	1	29	RAS
54-15-5500		-- Scene Lt Lctn, Left Side Of Bdy	1	29	RAS
54-15-5600		-- Scene Lt Lctn, Right Side Of Bdy	1	29	RAS
54-15-5700		-- Scene Lt Lctn, Rr Of Bdy	2	29	RAS
54-15-6440		-- Scene Lt Actvtd, Left Scene, Driver & Offiicer VISTA	1	30	RAS
54-15-6540		-- Scene Lt Actvtd, Right Scene, Driver & Offiicer VISTA	1	30	RAS
54-15-6640		-- Scene Lt Actvtd, Rear Scene, Driver & Offiicer VISTA	1	30	RAS
58-91-1200		Traffic Arrow, Whelen, 36" 500 Series 5MM LED, TAL65	1	30	RAS
58-95-1400		Traffic Arrow Lt Mntg, Surface Mt, Below Intmtd Rr Step	1	30	RAS
10-01-1100		Vehicle Dimensions, Sngl Axle	1	30	RAS
10-02-1100		Label, Data, Fluid Levels	1	30	RAS
10-02-1200		Label, Data, Height x Length, Weight	1	31	RAS
10-02-1300		Label, Data, "No Ride" Rr Step	1	31	RAS
10-02-1400		Label, Data, Tire Pressure	1	31	RAS
10-02-2100		Label, Indicating Number of Seats	1	31	RAS
10-02-2500		Label, "Caution: Do Not Wear Helmet While Seated"	1	31	RAS
10-03-3102		Tow Devices, Supplied & Shipped Loose w/ Chassis, Install (Pair)	1		RAS
10-03-6020		Tow Plates (2), Rr Frame Rail, Under Step, 3/4"x3"ID	1	32	RAS
80-43-2400		-- Painting, Tow Plates, Blk	1	32	RAS
10-04-0430		-- Front Bumpers, 4000, Max Force 12"H, Max Force Wings	1		RAS
10-05-4318		-- Frnt Bmpr, 4000, Max Force 12"H, T/P Apron, M/F Wings, 18" Extnsn	1	32	RAS
10-04-2720	S	-- Bumper Cmpt, Center, Hose, On Top of Gravelshield	1	32	RAS
		fire hose compartment shall be installed on top of the treadplate gravelshield on the front bumper extension. The compartment shall be designed to accomodate 150ft x 1-3/4" DJ Hose with Fire Department supplied nozzle. There shall be no recessed trough or hosewell in bumper. There shall be lips (approximately 2" tall) around the perimeter of the compartment to contain the fire hose that will fit under the full width raised lid.			
		Preliminary Front Bumper Layout "BUMPER LAYOUT NO TUB JUST LID.docx			
10-04-3180		-- Bumper Cmpt Door, Alum T/P, Raised Full Width Latches on Outboard Sides	1	32	RAS
08-00-0719		-- Cmpt LED Strip Lt, (1) Ea Cmpt (approx 30")	1	33	RAS
08-00-071A		-- Compartment Light, Mounting Door Jamb	1	33	RAS
10-04-3460		-- Bumper Cmpt Door Gas Shock	1	33	RAS
10-05-9600		Front Step Folding on Bumper / Grab Rail for Custom Chassis Picked in Chassis File 10083-0010 Part Number 04-05-2030	1	33	RAS
10-06-1110		Whl Trim, S/S Hub/Lug Cvr, Front/Rr, Sngl Axle	1	33	RAS
10-06-1602		Tire Pressure Indicator, Sngl Axle, Commander RWTG1235, EXT	1	33	RAS
10-07-0100		-- Exhaust, Horizontal Supplied With Chassis	1		RAS
10-07-1500		-- Exhaust Heat Shield, Under Bdy Compts	1	33	RAS
10-07-4200		Exhaust Provisions, Adapter, Plymovent, Customer Installed	1	34	RAS
10-08-2100		Mud Flaps, Rr Whls, Blk, w/ Bdy	1	34	RAS
10-13-4100	S	-- Map Pocket, Dual, Door Mount, Brushed Stainless 03-99-0142	2	34	RAS
		Drivers and Officers Interior Door Panel			
10-13-3550		-- Interior Finish, Cabinet, Natural	2	34	RAS
10-18-6000		Cab Tilt Control, Cstm, Left Front Cmpt or Pump Panel	1	34	RAS
20-31-1300		-- Pump Test, Altitude Requirements 5030 Ft ASL	1	34	RAS
20-23-3200		-- Pump, Waterous, CSUC20, 1 Stage, Midship	1	34	RAS
20-23-3130		-- Pump Flow Rtnng, Waterous, CSUC20, 2000 GPM	1	35	RAS
22-24-1600		-- Intk, Gtd, 6" NST, Mnl, Bttrfly, LH Side, Bhnd Pnl	1	36	RAS
21-01-2500		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn The Bleeder/Drain Line (tubing) shall exit on the Topside Port outboard the butterfly valve. Both Bleeder/Drain Valve Controls shall be located on the Drivers Side Pump Panel	1	36	RAS
22-40-7900		-- Adptr, LW Alum, 30 Deg, 6"F x 5" Storz	1	36	RAS
22-41-7200		-- Cap, 5" Storz, LW Alum, Lckng, w/Chain or Cable Cable Attachment	1	36	RAS

PART NO	S	DESCRIPTION	QTY	PG	ID
22-24-3600	S	-- Intk, Gtd, 6" NST, Mnl, Bttrfly, RH Side, Bhnd Pnl Locate Hand Wheel on Drivers Side Pump Panel	1	36	RAS
21-01-2500		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn The Bleeder/Drain Line (tubing) shall exit on the Topside Port outboard the butterfly valve. Both Bleeder/Drain Valve Controls shall be located on the Drivers Side Pump Panel	1	37	RAS
22-40-7900		-- Adptr, LW Alum, 30 Deg, 6"F x 5" Storz	1	37	RAS
22-41-7200		-- Cap, 5" Storz, LW Alum, Lckng, w/Chain or Cable Cable Attachment	1	37	RAS
20-26-2200		-- Pump Seal, Mech, Waterous	1	37	RAS
20-26-2400		-- Pump Impeller, Waterous, Flame Plated Hubs	1	37	RAS
20-26-3200		-- Pump Shift, Waterous, Elec/Pneumatic Operated	1	37	RAS
20-29-1200		-- Primer, Trident Air Primer, Automatic	1	38	RAS
20-29-1252		-- Primer Control - Main Pump Manual Push Button	1	39	RAS
27-10-3400		-- Pressure Gvrnr, FRC, In-Cntrl, w/Bdy, TGA300	1	39	RAS
		STAINLESS STEEL PUMP PLUMBING	1		RAS
21-00-2000		-- Screens/Anodes, Pump	1	40	RAS
21-00-3300		-- Piping, Stnls Stl - 1250 GPM & Up	1	40	RAS
21-01-0200		-- Pump Drain, Master, Manifold, Push Pull Type	1	40	RAS
21-01-7300		-- Painting, Pump & Piping, Unpainted	1	41	RAS
21-01-8100		-- Threads, National Hose (NST)	1	41	RAS
22-51-5210		-- Tank-To-Pump, Water Tank, 3" Vlv/4" Piping, Midship, Pmpr/Tnkr	1	41	RAS
22-50-0100		-- Single Tank to Pump Control - Pump Operator's Panel	1	41	RAS
24-62-1300		-- Vlv Mfger, AKR, 8000, (3")	1	41	RAS
22-55-4300		-- Intk Vlv Cntrl, AKR, 3" Handwheel Actuator	1	41	RAS
23-02-1300		-- Tank Fill/Cooling Line, Water Tank, 2"	1	41	RAS
24-62-1200		-- Vlv Mfger, AKR, 8000, (2")	1	42	RAS
22-55-4010	S	-- Dschrg Vlv Cntrl, AKR, 2", Handwheel 24-53-1000	1	42	RAS
20-30-3100		-- Pump Instln, Midship Split-Shaft, By Bdy Bldr	1	42	RAS
20-31-1000		Fire Pump Testing - Pumpers/Tankers	1		RAS
20-31-1100		-- Pump Test, Pumper, UL	1	42	RAS
20-31-1500		-- Pump Test, Label	1	42	RAS
20-31-3200		Dump-Relief Vlv, Suction Side, ELK #40, NST	1	43	RAS
20-31-4110		Pump Cooler, Bypass-To-Tank, 3/8", IC Mini-Twist Handle	1	43	RAS
20-31-5110		Heat Exchanger, Engine, Hook-Up Only, IC Mini-Twist Handle	1	43	RAS
22-12-1100		Intk, Aux, Gtd, 2-1/2", NST, Left Side	1	43	RAS
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	1	44	RAS
22-41-1100		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain Cable Attachment	1	44	RAS
24-62-1250		-- Vlv Mfger, AKR, 8000, (2-1/2")	1	44	RAS
22-55-4050		-- Intk Vlv Cntrl, AKR, Mnl Swing Type-Adjacent	1	44	RAS
22-12-3100		Intk, Aux, Gtd, 2-1/2", NST, Right Side	1	44	RAS
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	1	44	RAS
22-41-1100		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain Cable Attachment	1	44	RAS
24-62-1250		-- Vlv Mfger, AKR, 8000, (2-1/2")	1	45	RAS
22-55-4050		-- Intk Vlv Cntrl, AKR, Mnl Swing Type-Adjacent	1	45	RAS
23-05-3200		-- Dschg, 2" x 1-1/2" Front Center Bumper, Swivel, NST Brass Swivel	1	45	RAS
21-01-2200		-- Drain/Bleeder, Class 1, Automatic	1	45	RAS
23-05-9200		-- Hose Connection, Abv Frnt Bmpr, Swivel Locate on Officers Side Outboard Underneath Lid	1	45	RAS
24-61-1200		-- Vlv Mfger, AKR, 8000, (2")	1	45	RAS
24-53-1000		-- Dschrg Vlv Cntrl, AKR, 2", Handwheel	1	45	RAS
27-02-1200		-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	1	45	RAS
23-06-2200		-- Crosslay Dschgs, (2) 1-1/2", Over Pump Panel, NST 200 ft x1-3/4-in ea w/divider Bottom of Crosslays shall be approximately 70" off of the ground like #14183	1	45	RAS
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	2	46	RAS
24-61-1200		-- Vlv Mfger, AKR, 8000, (2")	2	46	RAS
24-53-1000		-- Dschrg Vlv Cntrl, AKR, 2", Handwheel	2	46	RAS
27-02-1200		-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	2	46	RAS
23-08-3300		-- Crosslay Cvr, Alum T/P, Sngl, W/Vinyl End Flaps (Non NFPA Walking Surface) The Vinyl EndFlap Bottom Bungee Hooks need to be extended outward to allow easier ability to	1	46	RAS

PART NO	S	DESCRIPTION	QTY	PG	ID
		wrap bungee cord around.			
29-20-5600		-- Vinyl Cover, Color, RED	1	47	RAS
23-08-4100		-- Crosslay Rollers, "U" Shaped, Both Sides	1	47	RAS
23-08-5019		-- Crosslay Dschgs, Over Pump Panel, Normal Height	1	47	RAS
		Locate approximately 70" off of the ground			
23-09-4100		Dschg, 2-1/2", Left Side, Pump Panel, NST	2	47	RAS
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	2	47	RAS
24-01-2400		-- Adptr, Reducing, 2-1/2" NST F x 1-1/2" NST M, Chrome	2	47	RAS
24-02-1200		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	2	47	RAS
24-03-1200		-- Cap, 1-1/2", NST Chrome, Rocker Lug, w/Chain	2	47	RAS
		Cable Attachment			
24-61-1250		-- Vlv Mfger, AKR, 8000, (2-1/2")	2	48	RAS
24-53-1100		-- Dschrg Vlv Cntrl, AKR, 2-1/2", Handwheel	2	48	RAS
27-02-1200		-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	2	48	RAS
23-10-4100		Dschg, 2-1/2", Right Side, Pump Panel, NST	1	48	RAS
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	1	48	RAS
24-01-2400		-- Adptr, Reducing, 2-1/2" NST F x 1-1/2" NST M, Chrome	1	48	RAS
24-02-1200		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	1	48	RAS
24-03-1200		-- Cap, 1-1/2", NST Chrome, Rocker Lug, w/Chain	1	48	RAS
		Cable Attachment			
24-61-1250		-- Vlv Mfger, AKR, 8000, (2-1/2")	1	48	RAS
24-53-1100		-- Dschrg Vlv Cntrl, AKR, 2-1/2", Handwheel	1	49	RAS
27-02-1200		-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	1	49	RAS
23-10-5200		Dschg, 3" x 4"NST, Right Side, Pump Panel, NST	1	49	RAS
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	1	49	RAS
24-01-4000		-- Adptr, LW Alum, 5" Storz x 2-1/2"M	1	49	RAS
24-02-2600		-- Elbow, LW Alum, 5" Storz x 4"F	1	49	RAS
24-03-1400		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	1	49	RAS
		Cable Attachment			
24-61-1300		-- Vlv Mfger, AKR, 8000, (3")	1	49	RAS
24-53-1200		-- Dschrg Vlv Cntrl, AKR, 3", Handwheel	1	49	RAS
27-02-1200		-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	1	50	RAS
23-12-2100		Dschg, 2-1/2", Left Front Hosebed, NST	1	50	RAS
		Locate as high as possible			
21-01-2202		-- Drain/Bleeder, Class 1, Automatic - Spec Only	1	50	RAS
24-61-1250		-- Vlv Mfger, AKR, 8000, (2-1/2")	1	50	RAS
24-53-1100		-- Dschrg Vlv Cntrl, AKR, 2-1/2", Handwheel	1	50	RAS
27-02-1200		-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	1	50	RAS
23-12-2200		Dschg, 2-1/2", Right Front Hosebed, NST	1	50	RAS
		Locate as high as possible			
21-01-2202		-- Drain/Bleeder, Class 1, Automatic - Spec Only	1	50	RAS
24-61-1250		-- Vlv Mfger, AKR, 8000, (2-1/2")	1	50	RAS
24-53-1100		-- Dschrg Vlv Cntrl, AKR, 2-1/2", Handwheel	1	51	RAS
27-02-1200		-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	1	51	RAS
24-14-1200		-- Mntr, TFT, CrossFire, XFC-42 Pkg (Top, Base, Tips)	1	51	RAS
24-14-1800		-- Base Inlets, TFT XFH-2NJ Dual 2-1/2" NH	1	52	RAS
24-14-1900		-- Stream Shaper, TFT XF-SS5	1	52	RAS
24-14-2000		-- Quad Stack Tips, TFT MST-4NJ	1	52	RAS
24-14-2020		-- Storage Bracket TFT #XF-B	1	52	RAS
24-30-3100		-- Hose Reel, HAN, Elec, Mt Abv Pump, Stil Pntd	1	53	RAS
24-31-2100		-- Hose Reel, Rwnd Cntrl, Weatherproof Push Button	1	53	RAS
24-32-1200		-- Dschg, Hose Reel, 1"	1	53	RAS
21-01-2500		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn	1	53	RAS
24-32-1700		-- Dschg, Hose Reel, Plmbd to Normal Pressure	1	53	RAS
24-61-1100		-- Vlv Mfger, AKR, 8000, (1")	1	53	RAS
24-53-0010		-- Dschg Vlv Cntrl, Pull Rod, 1/4 Turn, SM, AKR - Cls1	1	53	RAS
27-02-1200		-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	1	53	RAS
24-33-1600		-- Hose, Water, 800#, 1-in x 100-ft	1	53	RAS
24-33-9600		-- Roller, Hose Reel, Captive, Four Sided	1	53	RAS
80-43-1600		-- Painting, Hose Reel, Silver Grey	1	54	RAS
25-06-3100		-- Foam Sys, F/PRO 2001, Cls A/B, 2.6G, 12V S105-2001	1	54	RAS
		Foam Capable Discharges: Front Bumper, (2) Crosslays, Drivers Side Pump Panel 2-1/2", Drivers Side Rear Hosebed 2-1/2" Pre-Connect			

PART NO	S	DESCRIPTION	QTY	PG	ID
25-20-1200		-- Foam Plmbg, Sngl Class A Tank, 1" Mnl Vlv	1	56	RAS
25-21-1500		-- Foam Tank, Intgrl Poly, 30 Gal, Class A	1	56	RAS
25-22-9100		-- Foam Tank, No Manufacturer Preference	1		RAS
25-23-1000		-- Foam Tank Drain, 1" Gate Vlv, Under Tank	1	57	RAS
27-36-2000		-- Foam Tank Gauge, Class 1, Intelli-Tank, Pump Panel	1	57	RAS
25-19-9000		-- Foam System, NFPA #1901, Install Standards	1	57	RAS
26-02-2300		Pump Enc, Side Mt, Extrd Alum, 50-59"W, Crslys	1	59	RAS
26-10-2100		Pump Enc Cmpt, SM, Dnng Over Pump, Open	1	60	RAS
26-30-1100		Rng Brd, LH Pump Panel, Alum T/P, SM	1	60	RAS
26-30-5100		-- Hosewell, Rning Brd, Pump Panel, LH (Floating)	1	60	RAS
		1-3/4" x 100ft Trash Line			
		Footman Loops for the Running Board Hosewells are to be attached on top of the Hosewell Flange.			
26-30-6200		-- Hosewell, Rning Brd, Velcro Straps, Velcro Straps to be a minimum of 24" Long	1	60	RAS
26-30-1150		Rng Brd, RH Pump Panel, Alum T/P, SM	1	60	RAS
26-30-5300		-- Hosewell, Rning Brd, Pump Panel, RH (Floating)	1	61	RAS
		5" x 50ft LDH Roll			
		5" x 25ft LDH Roll			
26-30-6200		-- Hosewell, Rning Brd, Velcro Straps, Velcro Straps to be a minimum of 24" Long	1	61	RAS
26-31-1110		Gauge Panel, Upper LH, S/S, EXT	1	61	RAS
26-31-1300		Pump Side Access Door, Upper RH, S/S	1	61	RAS
26-35-3210		Pump Panel, Stnls Stl, LH/RH, SM, EXT	1	62	RAS
26-35-1100		-- Pump Panel, Bltd, LH	1	62	RAS
26-35-1400		-- Pump Panel, Hngd, RH	1	62	RAS
26-50-1200		Heater, Pump Enc, 30,000BTU, w/Swtch on Pmp Oprtr's Pnl	1	62	RAS
		Request the Shut-Off Valves be located as close to the Engine Block as possible.			
26-50-1400		-- Thermostat, Heater, Pump Enc, w/Mnl Ovrrd on Pmp Pnl	1	62	RAS
26-50-3200		Heat Pan, Pump Enc, Midship, Slide Out Panel, Alum	1	62	RAS
26-55-1100		Labels, Test Data and Safety Placards	1	63	RAS
26-55-2410		Labels, IC Color Coded, EXT	1	63	RAS
		Requested Discharge Colors: Front Crosslay (Blue), Rear Crosslay (Red), Drivers Side Front 2-1/2 (Green), Front Bumper (Orange), Drivers Side Rear 2-1/2 (White), Officers Side 2-1/2 (Tan), Drivers Side Rear Pre-Connect (Purple), Officers Side Rear Pre-Connect (Brown), Officers Side 3" LDH (Yellow)			
26-56-1130		Pump Panel Lt, Midship LH, (3) Grote #01-61F8-70 Low Profile, LED	1	63	RAS
26-56-1230		Pump Panel Lt, Midship RH, (3) Grote #01-61F8-70 Low Profile, LED	1	64	RAS
27-01-2200		-- Mstr Gauges, Class 1, 6" PSI, WF, Pr	1	64	RAS
27-01-4100		Gauge, Test Taps	1	64	RAS
27-35-2000		Water Tank Gauge, Class 1, Intelli-Tank, Pump Panel	1	64	RAS
27-35-2200		-- Water Tank Gauge, Class 1, Intelli-Tank, Mini, In-Cab	1	65	RAS
27-35-6122		-- Water Tank Gauge, Whelen PS TANK2 LED, Level Lts, (3 Lts), Cls 1	1	65	RAS
		(2) Rearward Top Corners of Cab and (1) Top Rear Body Face Outboard Officers Side			
27-37-1100		Air Horn, Push Button, Pump Panel	1	65	RAS
27-38-1100	S	Curbside Scene Camera, FRC True Sight 52-02-1230	1	65	RAS
		A Fire Research True Sight camera shall be installed on the officers side of the vehicle just above the R1 compartment. The camera shall be mounted to show the view of the right side scene area. The monitor shall be located on the drivers side pump panel.			
25-28-1760	S	== EXT HLFD / HRFD SA Pmpr/Tnkr - 1021.021 12/17/21 == Water Tank, 750 Gal, Pmpr/Tnkr, Poly, L-Tank L Shaped Tank for Low Hosebed	1	66	RAS
25-42-1100		-- Water Tank, Base Specs, Poly	1	66	RAS
25-42-1190		-- Water Tank, Manufacturer, No Preference, Poly	1	68	RAS

PART NO	S	DESCRIPTION	QTY	PG	ID
25-44-1700		-- Water Tank, Fill Tower, 10" x 10", EXT	1	68	RAS
25-50-1400		-- Water Tank Clean-out & Plug, 3"	1	68	RAS
29-00-2100		Hosebed, Pmpr, <168" L, HD, 42" Wide - EXT	1	68	RAS
		Low Hosebed			
29-10-1050		Hosebed, Grating, Extrd Alum, <168" Long - EXT	1	68	RAS
29-10-5020		Hosebed Storage Cpcty, EXT	1		RAS
29-10-5090		-- Hosebed, Strge Cpcty, 30 Cubic Feet, Minimum	1	68	RAS
29-10-5600		-- Hosebed, Strge Cpcty 2.5" DJ Hose (50-ft Lngth)	12	68	RAS
		(1) Lay of 200 ft LH Side			
		(1) Lay of 400 ft RH Side			
29-10-6000		-- Hosebed, Strge Cpcty 5" LDH SJ Rubber (100-ft)	10	69	RAS
29-10-8150		Hosebed, Divider, 1/4" Alum, EXT	2	69	RAS
29-10-8300		-- Hosebed, Divider, Handhole Cutouts	2	69	RAS
29-10-8550		Hosebed, Partition, Front of Hosebed, Greater than 48" - EXT	1	69	RAS
29-20-3550		Hosebed Cvr, Alum T/P, <168" L, 49-74" Wide - EXT	1	69	RAS
		Single Treadplate Lid with Hinge on Officers Side			
29-20-6650		-- Mnl Operation, Hosebed Cvr, Alum T/P	1	69	RAS
29-20-7310		-- Hsbd Cvr Lts, Recess In Door, Auto Swtch, 4" Rnd Grote LED, Ea	4	69	RAS
29-20-7800		-- Rr Vinyl Flaps for Alum Cvr	1	70	RAS
29-20-5600		-- Vinyl Cover, Color, RED	1	70	RAS
29-20-7200		Hosebed Lts, Recess In Sides, Rr Swtch-Two (2)	1	70	RAS
30-00-0299		Raw Material Surcharge - Single Axle	1		RAS
30-01-2000		Bdy Const - Rosenbauer EXT - SA Pmpr/Tnkr	1	70	RAS
30-01-2250		-- Electrolysis Corrosion Cntrl	1	73	RAS
30-01-3230	S	-- Side Body Height, EXT-SA Pmpr/Tnkr, 93" (Commander 11" RR)	1	73	RAS
		Body sides to be 93" high			
30-02-1920		-- Side Body Header, Alum, Pntd, Sngl Axle, EXT	1	73	RAS
44-05-1200		-- Whl Well Panel, Alum, Pntd, Sngl Axle	1	73	RAS
44-06-4320		-- Fenderette, Polished Stainless Steel, EXT	1	74	RAS
30-10-1500		-- Sub-Frame, EXT, SA Pmpr/Tnkr	1	74	RAS
31-01-5050	S	100" OAW, 26" Full Dpth Both Sides, HL/HR	1	75	RAS
31-01-5224	S	Roll Up Drs, Outside Cmpt, HL/HR, 162" Bdy	1	75	RAS
		162" Body			
30-02-1600		-- Drs, Roll-Up, Outside Cmpt, Specs, EXT	1	75	RAS
30-02-1260		-- Dr Strap, EZ-Pull Down, Ea	7	77	RAS
31-01-5200	S	-- Bdy, Rosenbauer EXT, Pmpr/Tnkr, 162"	1	77	RAS
32-05-4079		-- Cmpt Height, 79" High Left, High Side, RU Drs	1	77	RAS
32-05-6160	S	-- Ahd Rr Whls-42" Full Ht Cmpt-Roll Up Outside Cmpt	1	78	RAS
		(L1) 42" Wide			
		To Keep Wheelbase Below 200"			
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	78	RAS
45-16-1100		-- Tool Board, Roll Out, 500#, 3/16" Alum (1/4 Depth)	1	78	RAS
		Locate 12" Rearward of Forward Side Wall			
45-19-1100	S	-- Equipment Mounting Pnl, Rearward Side Wall, 3/16 Aluminum	1	78	RAS
		Mount to Rearward Side Wall			
55-01-3390		-- Cmpt Lt, Wall, OSS Access, 54" LED Tube Lt, (2) Ea Cmpt	1	78	RAS
55-06-1100		-- Cmpt Lt, Dr Swtch, Auto, Ea	1	79	RAS
32-05-7052		-- Abv Rr Whls-60" Sngl Cmpt, No Hyd Rack-RU Outside Cmpt	1	79	RAS
		(L2)			
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	79	RAS
45-18-1600		-- Tool Board, Swing Out, 250#, 1/8" Alum, EXT	1	79	RAS
45-19-1100		-- Equipment Mounting Pnl, Rr Wall, 3/16 Aluminum	1	79	RAS
55-01-3360		-- Cmpt Lt, Wall, OSS Access, 18" LED Tube Lt, (2) Ea Cmpt	1	80	RAS
55-06-1100		-- Cmpt Lt, Dr Swtch, Auto, Ea	1	80	RAS
32-05-8060		-- Bhd Rr Whls-44" Full Ht Cmpt-Roll Up Outside Cmpt	1	80	RAS
		(L3)			
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	80	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	1	80	RAS
45-06-2100		-- Slide Tray, 500#, Alum 3/16" (1/4 Dpth), EXT	1	80	RAS

PART NO	S	DESCRIPTION	QTY	PG	ID
80-76-0110		-- Reflective Stripe, Red/White, Trays/Toolboards, Ea	1	81	RAS
55-01-3390		-- Cmpt Lt, Wall, OSS Access, 54" LED Tube Lt, (2) Ea Cmpt	1	81	RAS
55-06-1100		-- Cmpt Lt, Dr Swtch, Auto, Ea	1	81	RAS
32-06-4079		-- Cmpt Height, 79" High Right, High Side, RU Drs	1	81	RAS
32-06-6160	S	-- Ahd Rr Whls-42" Full Ht Cmpt-Roll Up Outside Cmpt	1	81	RAS
		(R1) 42" Wide			
		To Keep Wheelbase Below 200"			
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	82	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	2	82	RAS
45-05-4100		-- Slide Tray, 250#, Alum 3/16" (1/4 Dpth), EXT	1	82	RAS
80-76-0110		-- Reflective Stripe, Red/White, Trays/Toolboards, Ea	1	82	RAS
55-01-3390		-- Cmpt Lt, Wall, OSS Access, 54" LED Tube Lt, (2) Ea Cmpt	1	82	RAS
55-06-1100		-- Cmpt Lt, Dr Swtch, Auto, Ea	1	83	RAS
32-06-7032		-- Abv Rr Whls-40" Sngl Cmpt w/ Hyd Rack-RU Outside Cmpt	1	83	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	83	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	1	83	RAS
45-26-1100		-- Fire Extngrshr Module, Brushed Alum, Ea	2	83	RAS
55-01-3360		-- Cmpt Lt, Wall, OSS Access, 18" LED Tube Lt, (2) Ea Cmpt	1	83	RAS
55-06-1400		-- Cmpt Lt, Dr Swtch, Magnetic, Ea	1	84	RAS
32-06-8060		-- Bhd Rr Whls-44" Full Ht Cmpt-Roll Up Outside Cmpt	1	84	RAS
		(R3)			
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	84	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	1	84	RAS
		Rearward Section			
45-05-4100		-- Slide Tray, 250#, Alum 3/16" (1/4 Dpth), EXT	1	84	RAS
		Rearward Section Above Adjustable Shelf			
45-15-1200		-- Divider, Vert, Bolt-In, 3/16" Alum	2	84	RAS
		(1) in Forward Section With Enough Room for Little Giant #17 to Fit In-Between Divider and Forward Wall			
		(1) in Rearward Section With Enough Room for Tool Board In-Between the Rearward and Forward Dividers			
45-16-1100		-- Tool Board, Roll Out, 500#, 3/16" Alum (1/4 Depth)	1	85	RAS
		In-Between the Rearward and Forward Dividers			
80-76-0110		-- Reflective Stripe, Red/White, Trays/Toolboards, Ea	1	85	RAS
45-26-5400	S	-- Strge Box, Poly Plastic, 8.5"W x 25"D x 14"H	4	85	RAS
		8.5"W x 25"D x 14"H			
		(2) On Compartment Floor in Rearward Section			
		(2) On Adjustable Shelf in Rearward Section			
55-01-3390		-- Cmpt Lt, Wall, OSS Access, 54" LED Tube Lt, (2) Ea Cmpt	1	85	RAS
55-06-1100		-- Cmpt Lt, Dr Swtch, Auto, Ea	1	86	RAS
33-60-2100		Rr Bdy, Flat Back, EXT	1	86	RAS
32-08-5200		-- Rr Center Cmpt - Full Height Roll Up/Non Trans	1	86	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	86	RAS
45-06-2100		-- Slide Tray, 500#, Alum 3/16" (1/4 Dpth), EXT	1	86	RAS
80-76-0110		-- Reflective Stripe, Red/White, Trays/Toolboards, Ea	1	86	RAS
45-19-1100		-- Equipment Mounting Pnl, Rr Wall, 3/16 Aluminum	3	86	RAS
		Attach to Rear and Sides of Pull-Out Tray to Form Side Walls			
55-01-3360		-- Cmpt Lt, Wall, OSS Access, 18" LED Tube Lt, (2) Ea Cmpt	1	87	RAS
55-06-1100		-- Cmpt Lt, Dr Swtch, Auto, Ea	1	87	RAS
		COMPARTMENT STORAGE PROVISIONS	1		RAS
33-61-1120		-- Rr Step, EXT Bdy, Bolt-On, 8"	1	87	RAS
33-62-6410	S	-- Rear Step, Center Slide-Out, Alum T/P, SlideMaster SM2-MP Series, 40"Wx24"D, EXT	1	87	RAS
44-11-5150		Whl Well Cmpt, Ahd of Whls Left Side, EXT	1	87	RAS
44-10-1600		-- Whl Well Cmpt, Sngl SCBA, Poly Tube, S/S Dr, (Fire Shopp)	1	88	RAS
44-10-6000		-- Whl Well Cmpt, SCBA Cmpt Straps	1	88	RAS
44-11-5350		Whl Well Cmpt, Bhnd Whls Left Side, EXT	1	88	RAS
44-07-1710		-- Fuel Fill Door Assy, BSST, Stnls Stil Pckt, LH Whl Wll Pnl, (Fire Shopp)	1	88	RAS
44-10-1600		-- Whl Well Cmpt, Sngl SCBA, Poly Tube, S/S Dr, (Fire Shopp)	1	88	RAS

PART NO	S	DESCRIPTION	QTY	PG	ID
44-10-6000		-- Whl Well Cmpt, SCBA Cmpt Straps	1	88	RAS
44-11-5550		Whl Well Cmpt, Ahd of Whls Right Side, EXT	1	89	RAS
44-10-1600		-- Whl Well Cmpt, Sngl SCBA, Poly Tube, S/S Dr, (Fire Shopp)	1	89	RAS
44-10-6000		-- Whl Well Cmpt, SCBA Cmpt Straps	1	89	RAS
44-11-5750		Whl Well Cmpt, Bhnd Whls Right Side, EXT	1	89	RAS
44-07-3710		-- Fuel Fill Door Assy, BSST, Stnls Stl Pckt, RH Whl Wll Pnl, (Fire Shopp)	1	89	RAS
44-10-1600		-- Whl Well Cmpt, Sngl SCBA, Poly Tube, S/S Dr, (Fire Shopp)	1	89	RAS
44-10-6000		-- Whl Well Cmpt, SCBA Cmpt Straps	1	90	RAS
44-17-5100	S	-- Roof Cmpt, Left Side, One, 24"W x 14"D x 100"L, EXT 24"W x 14"D x 100"L	1	90	RAS
55-04-3345		-- Cmpt Lt, Dr, OSS Access, 62" LED Tube Lt, Ea	1	90	RAS
55-06-1400		-- Cmpt Lt, Dr Swtch, Magnetic, Ea	1	90	RAS
90-02-1550		Ladder Mtg, Hyd Rack, Center Mt Lo Pro 1.0, Right Side, EXT	1	91	RAS
90-02-0520		-- Controls, Mtg, Equipment Rack, Rear Body Face Rear Body Face & Pump Panel	1	92	RAS
90-02-1280		-- Equipment Rack, Covering/Facade, Equipment, Match Header	1	92	RAS
90-02-1265		-- Equipment Rack, Covering, Support Arms, Pntd to Match Body	1	92	RAS
90-03-0220		-- Ladders, Ground, Provd'd By Manufacturer, MN	1	92	RAS
90-03-3400	S	-- Ladder, Roof, Duo-Safety, 16' Alum, Dual Feet / Hooks, 875-DR Duo Safety Model 875-DR, 16 foot aluminum roof ladder with dual roof hooks and feet	1	92	RAS
90-06-4700		-- Ladder, Ext, Duo-Safety, 28' Alum, 2 Sect 1200-A	1	93	RAS
90-02-5350		Fldg Attic Ladder Mntg, On Hyd Rack-MN	1	93	RAS
90-03-0230		-- Ladders, Fldg Attic, Provd'd By Manufacturer, MN	1	93	RAS
90-08-2600		-- Ladder, Attic, Duo-Safety, 10' Alum, Fold 585-A	1	93	RAS
90-16-5520		Pike Pole Mtg, Suction Hose Cmpt, Ea, MN	2	93	RAS
90-16-6100		Pike Poles Provided by Rosenbauer	1	93	RAS
90-16-2300		-- Pike Pole, 6' Fbgl, Round Hndl	1	93	RAS
90-16-2800		-- Pike Pole, 10' Fbgl, Round Hndl	1	93	RAS
90-25-7730		Suction Hose or Long Strg Cmpt, Abv Cmpt/Bhnd RU Dr, Left Side, Chvrn/Pntd, EXT	1	94	RAS
90-25-7830		Suction Hose or Long Strg Cmpt, Abv Cmpt/Bhnd RU Dr, Right Side, Chvrn/Pntd, EXT	1	94	RAS
90-25-9100		Suction Hose Provd'd By, Bdy Bldr, MN	1	94	RAS
90-25-3120		-- Suction Hose, Flex, Kochek PVC, 6"x10'-MN To be stored in long tool storage compartments.	2	94	RAS
90-25-6100		-- Suction Hose Cplgs, Alum, LH FM x RLM NH Couplings	2	94	RAS
33-66-1160		-- Steps, Fldg, Frnt, Left Hand (4), Integral LED Lts	1	94	RAS
33-66-2100		-- Step, Fldg, Frnt, Right Hand, Integral LED Lts	1	95	RAS
33-70-3600		-- Handrails, Pmpr, Top of Bdy Sides, Frnt, 12", Pair Mount (1) Handrail on top of the Drivers Side Front of Body and mount (1) Handrail on the Drivers Side Pump Panel (Gauge Panel) Horizontally on the Panel Face.	1	95	RAS
44-01-1400		-- Bdy Trim, Frnt Bdy, Ht of Side Cmpts, Alum T/P	1	95	RAS
44-01-4020		-- Bdy Trim, Rr Bdy, Smooth Alum for Chevron Stripe, EXT	1	95	RAS
44-07-4200		-- Fuel Tank, Removable Access Panel	1	96	RAS
33-62-4140		-- Steps, Fldg, Rear, Left Hand (3), Integral LED Lts	1	96	RAS
33-62-4240		-- Steps, Fldg, Rear, Right Hand (3), Integral LED Lts	1	96	RAS
33-62-5300		-- Step, Bltd, Treadplate, Rr Intermediate, 48" Handhold Cutouts	1	96	RAS
33-70-1400		-- Handrails, Rr Step, Vert, 60", Pair	1	97	RAS
33-70-3100		-- Handrails, Pmpr, Top of Bdy Sides, Rr, 12", Pair	1	97	RAS
44-02-1120		-- Rub Rails, Lwr Bdy, EXT, Extrd Alum	1	97	RAS
60-25-1500		-- Rcptcl, 120V, 20 Amp, 6-Plug Strip Rcptcl	1	97	RAS
60-30-5500		-- Rcptcl Lctn, Inside Cab, Crew Area, Ea Passenger Side EMS Compartment Wired to Shoreline Mount Underneath Shelf	1	97	RAS
60-25-9400		Shore Power Inlet, Wiring to Interior Cab Rcptcls	1	97	RAS
64-20-1300		Lt Tower Mtg, Hrzntl, Top of Apparatus Bdy	1	98	RAS
44-20-8200	S	-- Bdy Dunnage, Forward, 71" W x 52L" x 10"D, Smooth Alum	1	98	RAS
64-13-1700		-- Lt Tower, SL, Shadow 422D-W2, 12V LED (2) Lts, 300W, SL422D-W2	1	98	RAS
64-13-6010		-- Controls, Mtg, Light Tower, Left Front Cmpt	1	99	RAS
64-50-1300	S	Boxed In Cup Holders Crew Area (2) Boxed In Cup Holders, 4" Diameter, mounted on top of Seat Box between the (2) Forward Facing Seats.	1	100	RAS

PART NO	S	DESCRIPTION	QTY	PG	ID
45-25-1100		Backboard Mtg, (1)Vert, With Runners Forward of the Crosslays next to the Cab in the Pump Module.	1	100	RAS
80-22-2100		Bdy Paint, Pmpr/Tnkr, Sngl Color, EXT	1	100	RAS
80-32-1250		Compt Finish, DA Sanded, Up to 8 Cmpts, EXT	1	102	RAS
80-40-1250		Whl Finish, By Chassis Manufacturer	1		RAS
80-42-1500		Bdy Paint, Touch Up, 2 oz. Bttl, One Color	1	102	RAS
80-43-2995		-- Blacked Out Items- Line-X/Paint	1	103	RAS
80-50-1900		Lettering, 4" Scotchlite Reflect, 50 Letters	1	103	RAS
80-50-3600		Lettering, 8-12" Scotchlite Reflect, 30 Letters	1	103	RAS
80-50-4100	S	Front Lettering Plate, "BERTHOUD FIRE PROTECTION DISTRICT" "BERTHOUD FIRE PROTECTION DISTRICT"	1	103	RAS
		Lettering/Graphic Plate Mounted on the Front Edge/Face of the Bumper Raised Hosebed Lid Painted to Match Body.			
80-65-1200		Dr Seals, Cstm Detailed, Price On Request	1	103	RAS
80-71-1600		Stripe, Triple Reflective, 1" x 6" x 1" Large "Z" Design	1	103	RAS
80-75-1600		-- Reflective Stripe Material, White	1	104	RAS
80-72-1110		Stripe, Refl, 3M Diamond Grde, Chevron Pattern Entire Rr, EXT	1	104	RAS
80-72-1799		=== NO Rear Roll-Up Door Chevron Striping - Pick to Select ===	1		RAS
80-72-1998		==== No Interior Door Reflective Chevron ===	1		RAS
80-79-1000		NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 15.7.1.6)	1	104	RAS
90-01-5900		Whl Chocks Pair Zico #SAC-44 Fldg w/ Mts Mount Ahead of Rear Wheels Drivers Side	1	104	RAS
90-18-1100		Wrench, ELK #470 Hydrant/Spanner, W/Brkt To Be Mounted at Final Inspection	2	104	RAS
90-26-2900		Suction Strainer, Kocheck Low Level, 6", Kocheck #LL60	1	105	RAS
90-26-7600		Suction Strainer Mntg Plate, 6", Cast Alum, Screw Type	1	105	RAS
90-35-1200		Fire Extngshr, Dry Chemical, 20# ABC, w/ mntgs	1	105	RAS
90-35-1500		Fire Extngshr, Water, 2.5 Gal, w/ mntgs	1	105	RAS